# Upcoming Accidental Librarian Webinars

- May 20: Government Financial Tools
- June TBD: Legal research
- August TBD: Using data in instruction
- September TBD: Trade data
- October TBD: Foreign affairs research
- November TBD: UN data
- December TBD: The Serial Set
- Brought to you by the North Carolina Library Association's Government Resources Section. Join us! <a href="http://www.nclaonline.org/government-resources">http://www.nclaonline.org/government-resources</a>

# Finding Government Data on the Environment



Ann Marshall, April 29<sup>th</sup>, 2015 email@annmarshall.info

twitter: @annmarshallibre

# **Overview**

- 1. Interactive Tools (e.g. maps)
- 2. Finding & Downloading Datasets
- 3. Searching the Scholarly Literature
- 4. On Campus & Curriculum Ideas


If time allows (or on your own) ...

Appendix I: A Few Global Sources

Appendix II: Additional U.S. Resources

# Interactive Tools (e.g. maps)


#### **Envirofacts Data Warehouse**



# EnviroMapper









# EnviroMapper

Home | Help







# **Trying Searching by Program (under Envirofacts)**




#### Add Data --> Add Supplementary Layers --> Places -->



#### Add Data --> Add Supplementary Layers --> Places --> Add Schools



#### Add Data --> Add Supplementary Layers --> Water Features --> Impaired Waterbodies



#### Layer: Impaired Waterbodies (ID: 1)

Name: Impaired Waterbodies

Display Field: EVENTTYPE

Type: Feature Layer

Geometry Type: esriGeometryPolygon

Description: Water bodies that have excess pollutants and are not clean enough to support recreational u

Metadata

Definition Expression: N/A

Copyright Text: EPA Office of Wetlands, Oceans, and Watersheds (OWOW)

Default Visibility: false

MaxRecordCount: 1000

Supported Query Formats: JSON, AMF

Min Scale: 5000000

Max Scale: 0

Supports Advanced Queries: true

Supports Statistics: true


Has Labels: false

Can Modify Layer: false

Can Scale Symbols: false

Use Standardized Queries: true

At Left, Add: Hazardous Waste Sites to Map



So, why does EPA collect data from Kelly Motors? And, what kind of data do they collect?



### Kelly Motor Corp.

2811 Route 246, Perry, NY 14530

Home New Vehicles V Used Vehicles V Finance V Service





VALUE YOUR
TRADE



CREDIT ESTIMATOR



#### Welcome to Kelly Motor Corp.

Kelly Motor Corp., a Ford dealer in Perry, New York offers new Ford Cars, Crossovers, SUVs, Trucks online at <a href="http://www.kellymotorcorp.net">http://www.kellymotorcorp.net</a>. Search for all new 2014 and 2015 Ford, including Flex, SuperDuty, Explorer, F-150, Econoline Wagon, Expedition, Fiesta, Focus, Taurus, Fusion, Edge, Transit VanWagon, Escape, Mustang, C-MAX, Transit Connect. Find your dream car from our Ford showroom of Cars, Crossovers, SUVs, Trucks or search our new Ford inventory to see what is on our lot, get new car pricing and free Ford price quotes. View our used car inventory, including our preowned Ford vehicles.



#### **Hazardous Waste**

This layer of EnviroMapper indicates the specific facilities regulated by the USEPA that handle materials designated as hazardous waste. Hazardous waste is any by-product of society that can pose a substantial or potential hazard to human health or the environment when improperly managed.



The Resource Conservation and Recovery Act (RCRA) requires that generators, transporters, treaters, storers, and disposers of hazardous waste (as defined by the federally-recognized hazardous waste codes) provide information concerning their activities to state environmental agencies. These agencies then provide the information to regional and national U.S. Environmental Protection Agency (EPA) offices.

Generated hazardous waste is the total weight or volume of materials and products produced by a facility that enter the waste stream before recycling, composting, landfilling, or combustion takes place.

#### To Find Out More About a Specific Facility

To find out selected information about a specific facility that is registered as a hazardous-waste site, use the RCRAInfo Search Form at the Envirofacts Warehouse. Specify the facility by using any combination of:

- · facility name
- geographic location
- · facility industrial classification
- chemicals

The RCRA divides hazardous-waste handlers

#### **Data Source**

The EnviroMapper layer for RCRAInfo sites is obtained from the US Environmental Protection Agency's (USEPA) Envirofacts Warehouse.

The database in which EPA has organized this information is called the Resource Conservation and Recovery Information System (RCRIS). EPA uses RCRIS to support its implementation of RCRA, as amended by the Hazardous and Solid Waste Amendments of 1984 (HSWA).

#### **Technical Data Description**

USEPA has created a unified database to track and share information on facilities it regulates. This map layer was built by accessing that database.

The Envirofacts Warehouse makes available very detailed technical information about that database, information called metadata. Metadata (or "data about data") describe the content, quality, condition, and other characteristics of data.


Markedar and head to accept and accept dark

"generators, transporters, treaters, storers, and disposers of hazardous waste"

ECHO: <a href="http://echo.epa.gov/">http://echo.epa.gov/</a>



#### ECHO -- Search by Zip Code: 14510





# **ECHO: Scroll down to Find Reports**

Facility Name	\$ Mapped	\$ Street Address	City	\$ State	FRS ID	Reports	Current Significant Violations	Quarters <sup>©</sup> Non Comp (3 yrs)	lnspections (5 yrs)	Formal Enforcement Actions (5 yrs)	Â
G L S W BOCES	Ŷ	27 LACKAWANNA AVE	MOUNT MORRIS	NY	110004321350	C	N	0	0	(i)	III
KWIK FILL A0043-113	Ŷ	26 E STATE ST	MOUNT MORRIS	NY	110004458792	C	N	0	0	<b>(i)</b>	
MOUNT MORRIS (V) STP	Ŷ	117 MAIN STREET	MOUNT MORRIS	NY	110009828534	<b>G 3</b>	N	1	2	(i)	
MT MORRIS DAIRY FARMS INC	Ŷ	7295 BEGOLE ROAD	MT. MORRIS	NY	110010806574	C II	N	0	0	(i)	
NYSDOT BIN 1070100		RTE 258 BRG OVER RTE I- 390	MOUNT MORRIS	NY	110017875209	C	N	0	0	(i)	
WILLIAMSBURG FARM LLC	Q	5405 MT MORRIS RD	MOUNT MORRIS	NY	110019060521	CE	N	0	0	<b>(i)</b>	÷

	Search Results Reports Legend							
Icon	Report	Description						
	Single Civil Enforcement Case Report	Detailed Civil Enforcement Case Report for the selected facility						
	Multiple Civil Enforcement Case Reports	Links to all available Civil Enforcement Case Reports by case number for the selected facility. Click on a case number to access the selected Civil Enforcement Case Report						
C	Compliance Report	Detailed Facility Report of a facility's compliance and enforcement data						
E	Effluent Charts	Visual display of a facility's Clean Water Act (CWA) effluent discharge data						
	Pollutant Loading Report	Detailed Clean Water Act (CWA) Discharge Monitoring Report Pollutant Loading Tool information for the selected facility						



Log In Contact Us

You are here Home » Detailed Facility Report

# **Detailed Facility Report**

This page updates dynamically based on your search criteria and selections within the page.













#### **Facility Summary**



#### KELLY MOTORS

2811 RTE 246, PERRY, NY 14530 ①

#### Facility Information (FRS)

FRS ID: 110006095652

EPA Region: 02 Latitude: 42.74793 Longitude: -78.00572

Locational Data Source: FRS

Industry:

Indian Country: N Go To Facility/System

Characteristics

#### Regulatory Interests

Clean Air Act: No Information Clean Water Act: No Information

Resource Conservation and Recovery Act: Inactive ( ) Other

(NYD981484421)

Safe Drinking Water Act: No Information

#### Also Reports

Air Emissions Inventory (EIS): No Information

Greenhouse Gas Emissions (eGGRT): No Information

Toxic Releases (TRI): No Information

#### Enforcement and Compliance Summary A

Sta	¢ itute	e Insp (5 Years)	Date of Last Inspection	¢ Current Compliance Status	Qtrs <sup>‡</sup> in NC (of 12)	\$ Qtrs in Significant Violation	Informal Enforcement Actions (5 years)	Formal Enforcement Actions (5 years)	\$ Penalties from Formal Enforcement Actions (5 years)	EPA Cases (5 years)	Penalties from EPA Cases (5 years)
RO	CRA			No Violation	0	0					

# Legal Information Institute LII





ABOUT LII >

GET THE LAW >

LAWYER DIRECTORY

LEGAL ENCYCLOPEDIA >

HELP OUT >



ALL PAGES ARTICLES ESPAÑOL INBOX PROJECT SEARCH FAO

#### Resource Conservation and Recovery Act (RCRA)

Resource Conservation and Recovery Act (RCRA) 42 U.S.C. §6901 et seq


#### RCRA Overview


Resource Conservation and Recovery Act (RCRA): This act, which regulates land-based disposal of waste (and focuses on hazardous waste) has the goal of reducing waste and encouraging recycling. This is not a ban on land-based disposal, but rather a regulation thereof, which uses "manifests" and the "cradle-to-grave" tracking system. All hazardous waste must obtain an identification number, and be accompanied by a "manifest" which tracks the waste. Each time the waste changes hands, a copy is sent back, ensuring that everyone along the chain is informed, and preventing unidentified wastes from arriving at disposal facilities. A part of Environmental Law.


#### Title D: Solid Waste

Although RCRA is limited to solid wastes that are discarded, this is strangely interpreted. Under the statutory definition (42 USC § 6903(27)), solid waste is very broadly defined, and includes solids, sludge, liquid, semisolids, or contained gaseous material. In defining waste, the EPA was focused on actual waste, not materials that were still part of the manufacturing process (to avoid unnecessary interference with manufacturing). The EPA wanted to exclude (not regulate) real recycling, but didn't want to allow sham recycling to be backdoor to the statute. Thus, the EPA uses a 5 factor test to determine what is waste:

# **EPA:** MyEnvironment









**Monroe County** 





**Los Angeles County** 





### **Historical Data**

#### **Monroe County**


Toxic Releases: 188

Ozone: 87.4

Particulates 2.5: 11.8

Nitrogen Dioxide: 0





#### **Los Angeles County**

Toxic Releases: 2017


Ozone: 30%


Particulates 2.5: 38.3

Nitrogen Oxide: 31.7



Toxic air pollutants, or air toxics, are those pollutants known or suspected of causing cancer or other serious health problems, such as birth defects. Not all air pollutants are considered – please visit the NATA Web site for more information on the 2005 NATA data.





#### Monroe County (Rochester, NY)

Total Risk Per Million: 44

Formaldehyde: 33.41%

Benzene: 21.24%

#### **Los Angeles County**


Total Risk Per Million: 109

Formaldehyde: 50.54

Benzene: 11.54

# About Benzine: (from the CDC)

- Outdoor air contains low levels of benzene from tobacco smoke, gas stations, motor vehicle exhaust, and industrial emissions.
- Benzene can cause bone marrow not to produce enough red blood cells, which can lead to anemia. Also, it can damage the immune system.








SEARCH





Welcome to My Green Apps, your destination for 290 apps to help you understand and protect the environment. In addition to finding apps, you can see what app ideas people like best. You also can learn about EPA's Apps for the Environment Challenge, which was conducted in the summer of 2011. If you want to make a green app that uses EPA's data, check out Developer Central and Data Finder.

#### Find a green app!




Locate an existing green app



Home | Education | Games | Energy | Transportation Citizen Science | Sustainability | Health | Communities

OR

#### See the popular ideas!



The people have told us what ideas they want. See the results.







Sign up to get messages and updates for the EPA App Developer

Enter email address



#### Featured Apps

#### CG Search



CGSearch is a mobile Green IT application that enables users across the U.S. to compare the air quality index, air pollutant levels, energy consumption of various

#### WeRecycle



WeRecycle is a platform to facilitate communication about waste between citizens and and their community.

#### AirStatus!



AirStatus is a notification network for individuals who want air quality updates for their local community.



Green Apps

**Ideas for Apps** 

Apps Challenge

#### Contact Us
















for an App!










# Finding & Downloading Datasets

# EnviroMapper Data Download



### **Envirofacts**



#### Toxics Release Inventory (TRI) Program

Contact Us

TRI Home

Learn About TRI

TRI Resources

TRI Data and Tools

Reporting for Facilities

TRI Chemicals

Laws and Rulemakings

Get Involved in TRI

TRI Contacts

Site Map

# 2013 Toxics Release Inventory National Analysis

You are here: EPA Home » Toxics Release Inventory (TRI) Program » 2013 Toxics Release Inventory National Analysis

Supporting data files for the 2013 Toxics Release Inventory National Analysis (Excel):

- 2013 Toxics Release Inventory National Analysis: Introduction (3 pp., 13 K)
- 2013 Toxics Release Inventory National Analysis: Pollution Prevention and Waste Management (pp, 33 K)
- 2013 Toxics Release Inventory National Analysis: Releases of Chemicals (25 pp, 42 K)
- 2013 Toxics Release Inventory National Analysis: Industry Sectors (12 pp, 31 K)
- 2013 Toxics Release Inventory National Analysis: Where You Live (8 pp, 762 K)
- 2013 Toxics Release Inventory National Analysis: TRI and Beyond (9 pp, 25 K)
- 2013 Toxics Release Inventory National Analysis: Electric Utilities Waste Rates (5 pp, 999 κ)
- 2013 Toxics Release Inventory National Analysis: Additional P2 Data (13 pp, 4 MB)

The 2013 Toxics Release Inventory National Analysis, organized by chapter:




- 2013 Toxics Release Inventory National Analysis: Complete Report (PDF) (78 pp, 4 MB)
- 2013 Toxics Release Inventory National Analysis: Executive Summary (PDF) (3 pp, 421 K)
- 2013 Toxics Release Inventory National Analysis: Introduction

You will need Adobe Reader to view some of the files on this pag See <u>EPA's About PDF page</u> to lear more.

#### 2013 Toxic Release Where You Live

ile <u>E</u> d	lit <u>V</u> iew <u>I</u> nse	rt F <u>o</u> rmat <u>T</u> ool	s <u>D</u> ata <u>W</u> indow <u>H</u> elp			\$
<b>a</b> •		s   📝   🔒 🖴	[R   ABS ABC   X = 6 + 4	<b>∛</b>   <sup>©</sup> ) + @ +   <b>&amp;</b> ∮	}	Find Te
<b>9</b>	Calibri		B / U E E	<b>■</b> ■   <b>』</b> % <sup>3</sup>	5,% ¢∘ ∘ <b>%</b>   <u>≼</u> ≒ <u>≼</u> ≒	
<u> </u>	Calibii		<b>B</b> 1 <u>0</u> = =	= = = 78 70	=== ===   0d0, 000, ⇔	
1	-	<i>f</i> <sub>x</sub> ∑ =				
	АВ	С	D	E	F	G
1					'	<u> </u>
2	FIPS	State Abbreviation	State	Count of Total Facilities	Total Releases (lb)	Releases per Sq M
3	04	AZ	Arizona	257	70,121,662.25	615.
4	05	AR	Arkansas	330	35,598,995.88	669. ≡
5	08	со	Colorado	236	26,948,891.65	258.
6	09	СТ	Connecticut	288	2,099,281.85	378.
7		DC	District of Columbia	11	773,726.91	1
8		GA	Georgia	672	//	
9		ID	Idaho	109	//	580.
10		IL	Illinois	1,085	123,544,649.65	
11		IA	Iowa	440	39,268,194.38	
12		KS	Kansas	305	21,325,875.58	
13		LA	Louisiana	389	138,244,757.18	
14		MD	Maryland	172	8,277,916.07	667.
15		MN	Minnesota	492	26,355,994.03	30:
16		МО	Missouri	519		
17		MT	Montana	57		237.
18		NV	Nevada	133	369,701,911.31	
19		NJ	New Jersey	377	10,919,706.00	
20		ND	North Dakota	74	,,	679.
21		OH	Ohio	1,372	130,988,493.72	422
22		OK	Oklahoma	374	//	432.
23		PA	Pennsylvania	1,168	, ,	
24 25		SC	South Carolina	509	, ,	96
26		SD	South Dakota Utah	95 185	-//	
26 27		UT VT			,,	
28		WV	Vermont West Virginia	40 181	271,177.80 37,999,715.75	
			West Virginia  Total Disposal per Sq Mile LAE \			
heet 4		PageStyle_States		STD	Sum=0	

## **Envirofacts EZ Query: Create Your Own Table in Three Steps**



# **EZ Query Step One**

FRS Facility and Geospatial	Reference Information
EPA FRS Facility Information	FRS Facility Information including Name, Address, and Best Pick Geospatial Information
EPA FRS Facility Information with	FRS Facility Information including Name, Address, and Best Pick Geospatial Information with Program
Program Identifiers	System Indentifiers. FRS Facility information is repeated for each Program System Identifier associated with
	the FRS Facility Site record (by Registry_ID).
EPA FRS Program Facility Information	Detailed Facility Information from the EPA Programs within FRS including Name, and Address Information
Facility SIC Codes	Standard Industrial Classification (SIC) Codes for EPA Facilities with EPA FRS Facilility Information and Best
	Pick Geospatial Information. Since a facility can be categorized by more than one SIC Code, the facility,
	latitude, and longitude information will be repeated for each SIC Code.
Facility NAICS Codes	North American Industry Classification System (NAICS) Codes for EPA Facilities with EPA FRS Facilility
	Information and Best Pick Geospatial Information. Since a facility can be categorized by more than one
	NAICS Code, the facility, latitude, and longitude information will be repeated for each NAICS Code.
ZIP Code Reference	Comprehensive list of ZIP Codes and the city, county, and Post Office names associated with those ZIP
	Codes, as provided by the United States Postal Service City State Product File.
Program Coordinates	Contains all program spatial data, associated facility name and address information, expanded spatial
	metadata code descriptions, spatially derived data, and the FRS facility representative point data for the
	parent facility.
FRS Facilities within and near Indian	EPA FRS Facility Information, Best Pick Geospatial Information, Tribal identifiers and distance to tribal
Tribes and Villages	boundaries for EPA Facilities in or within 25 miles of Alaskan Indian Village, Tribal Reservations, and Tribal
	Trust Land boundaries. Since a facility may be within or near more than one tribal boundary, facility
	information will be repeated for each tribe.
Program Facilities within and near	EPA Program Facility Information, Best Pick Geospatial Information, Tribal identifiers and distance to tribal
Indian Tribes and Villages	boundaries for EPA Program Facilities in or within 25 miles of Alaskan Indian Village, Tribal Reservations,
	and Tribal Trust Land boundaries. Since a facility may be within or near more than one tribal boundary,
	facility information will be repeated for each tribe.

#### **EZ Query Step Two**

http://oaspub.epa.gov/enviro/ez\_frs\_column.list?table\_name=D\_EF\_FAC.V\_FRS\_FACILITY\_SITE\_GEO

#### **Envirofacts**

You are here: EPA Home » Envirofacts » Facility Registry Service (FRS) » FRS EZ Search

#### Selection of Columns for FRS EZ Query

Home Multisystem Search Topic Searches System Data Searches About the Data Data Downloads Widgets Services Mobile Other Datasets

#### FRS



STEP 2: Select TWO or more column(s) for your output by clicking on the square box next to the column name. When you are finished selecting columns, click on the STEP 3: Enter Search Criteria button at the bottom of this page.



#### **Selection of Columns**

	×	Select ALL columns listed below for output!
	Count Function for *. DO NOT SELECT THE COLUMN LOCATED DIRECTLY ABOVE IF YOU SELECT THIS COLUMN!	Counts the number of distinct records for the column above: You must select an additional column other than a group function! HELP on STATISTICS!  COUNT
<b>V</b>	REGISTRY_ID	The identification number assigned by the EPA Facility Registry System to uniquely identify a facility site.
	Count Function for REGISTRY_ID. DO NOT SELECT THE COLUMN LOCATED DIRECTLY ABOVE IF YOU SELECT THIS COLUMN!	Counts the number of distinct records for the column above: You must select an additional column other than a group function! HELP on STATISTICS!  COUNT
<b>V</b>	PRIMARY_NAME	The public or commercial name of a facility site (that is., the full name that commonly appears on invoices, signs, or other business documents, or as assigned by the state when the name is ambiguous).
J	LOCATION_ADDRESS	The address that describes the physical (geographic) location of the front door or main entrance of a facility site, including urban-style street address or rural address.
	SUPPLEMENTAL_LOCATION	The text that provides additional information about a place, including a building name with its secondary unit and number, an industrial park name, an installation name or descriptive text where no formal address is available.
	CITY_NAME	The name of the city, town, village or other locality, when identifiable, within whose boundaries (the majority of ) the facility site is located or the name of the city where the mail is delivered. The two are not always the same.
<b>V</b>	COUNTY_NAME	The name of the U.S. county or county equivalent in which the facility site is physically located.
	FIRE CODE	The read above commences above commences and above conditions and above commences above the state of the stat


A long list of variables.
And, at the bottom of the list (see next slide), several ozone and particulate variables.

# **EZ Query Step Two: Continued**

(End of the list, showing several environment-relevant variables)

	SCALE	The number that represents the proportional distance on the ground for one unit of measure on the map or photo.  Remarks: Mandatory for all horizontal data collection methods except for methods using Global Positioning System (GPS).
	ACCURACY_VALUE	The measure of the accuracy (in meters) of the latitude and longitude coordinates.
	ACCURACY_SCORE	The accuracy score (in meters) derived as the accuracy value either supplied by the location metadata or calculated based on the collection method and then modified based on QA boundary checks.
	DERIVED_CITY	The spatially derived city name.
	DERIVED_COUNTY	The spatially derived county name.
<b>V</b>	DERIVED_ZIP	The spatially derived ZIP Code.
	DERIVED_STATE	The spatially derived State Code.
	DERIVED_FIPS	The spatially derived FIPS code.
	DERIVED_HUC	The spatially derived 8-digit Hydrologic Unit Code (HUC) that represents a geographic area representing part or all of a surface drainage basin, a combination of drainage basins, or a distinct hydrologic feature.
<b>V</b>	DERIVED_WBD	The spatially derived 12-digit Hydrologic Unit Code (HUC) from the Watershed Boundary Dataset (WBD) that represents a geographic area representing part or all of a surface drainage basin, a combination of drainage basins, or a distinct hydrologic feature.
	DERIVED_CB_2010	The spatially derived 2010 Census Block Code, which represents the smallest entity for which the Census Bureau collects and tabulates decennial census information; bounded on all sides by visible and nonvisible features shown on Census Bureau maps.
	DERIVED_CD_113	The number that represents the 113th Congressional District for a state within the United States.
	US_MEXICO_BORDER_IND	Based on the facility's spatial coordinate, a "Y" value indicates that the facility is within 100KM (62.5 Miles) of the US- Mexico border.
	OZONE_8HR_1997_AREA_NAME	The 8-hour Ozone (1997) non-attainment area name, spatially derived from the Air Green Book.
	PB_2008_AREA_NAME	The Lead 2008 non-attainment area name, spatially derived from the Air Green Book.
	PM25_1997_AREA_NAME	The Particulate Matter 2.5 (1997) non-attainment area name, spatially derived from the Air Green Book.
<b>V</b>	PM25_2006_AREA_NAME	The Particulate Matter 2.5 (2006) non-attainment area name, spatially derived from the Air Green Book.
	OZONE_8HR_2008_AREA_NAME	The 8-hour Ozone (2008) non-attainment area name, spatially derived from the Air Green Book.

### **EZ Query Step Three**



### Maximum Result List of 100,000 rows

#### **Envirofacts**

You are here: EPA Home » Envirofacts » Facility Registry Service (FRS) » FRS EZ Search

# **FRS EZ Query Results**

Home Multisystem Search Topic Searches System Data Searches About the Data Data Dow






Page No. 1 STATE\_CODE Equal to NY




ERROR! You selected the CSV output option which has a maximum output of 100,000 rows. 'selection page and refine your query!




# **EZ Query Step Three:**

#### **Narrowed Search By Zip Code**




Search Database Reset Output to CSV File

### **Results in CSV**



### EnviroFacts: Customized Searches For Air, Water, Toxics, Etc.



### **EnviroFacts: Scroll Down for Descriptions of Each Data Source**

**ՃAir** 

#### Air Facility System (AFS) Go to Search Q

Information on air releases is contained in the Air Facility System (AFS), a computer-based repository for information about air pollution in the United St information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universitie provides information about the air pollutants they produce. More information on AFS.

#### Greenhouse Gas Go to Search Q

The purpose of the Greenhouse Gas Reporting Program (GHGRP) is to provide accurate and timely GHG data to inform the public, policy makers and oth interested parties. The data will help the public better understand emissions from specific industries, emissions from individual facilities, factors that in greenhouse gas emission rates, and actions that facilities could take to reduce emissions. More information on Greenhouse Gas.

#### Greenhouse Gas Customized Search Go to Search Q

GHG Customized Search allows you to create a report on multiple subject areas using the most comprehensive set of GHG data elements. More informa

#### UV Index Go to Search Q

The ozone layer shields the Earth from harmful ultraviolet (UV) radiation. Ozone depletion, as well as seasonal and weather variations, cause different a given time. The UV Index predicts the ultraviolet radiation levels on a 0-10+ scale, helping people determine appropriate sun-protective behaviors. Mo

<sup>↑</sup>Top of page

**ALand** 

#### Assessment, Cleanup and Redevelopment Exchange System (ACRES) Goto Search Q

ACRES captures grantee reported data on environmental activities and accomplishments (assessment, cleanup and redevelopment), funding, job training leveraging efforts – a central objective of the Brownfields Program. The information in ACRES is provided at the property and grant level. Results will be

#### Biennial Reporting (BR) Goto Search Q

Detailed hazardous waste information is collected on the generation of hazardous waste from large quantity generators and data on waste managemen facilities. This information is compiled into a Biennial Report and is useful for trend analysis. More information on BR.

#### Brownfields-Cleanups Go to Search Q

Accidents, spills, leaks, and past improper disposal and handling of hazardous materials and wastes have resulted in tens of thousands of sites across of water (groundwater and surface water), and air (indoor and outdoor). These contaminated sites can threaten human health as well as the environment.


#### Cleanups in My Community (CIMC) Go to Search Q

Cleanups in My Community is a mapping and listing tool that shows sites where pollution is being or has been cleaned up throughout the United States profiles for: \* Sites, facilities and properties that have been contaminated by hazardous materials and are being, or have been, cleaned up under the Superfund or RCRA cleanup profiles that have been contaminated by hazardous materials and are being, or have been, cleaned up under the Superfund or RCRA cleanup profiles.

#### Resource Conservation and Recovery Act Information (RCRAInfo) Go to Search Q


Hazardous waste generators, transporters, treaters, storers and disposers of hazardous waste are required to provide information on their activities to provide the information to regional and national US Environmental Protection Agency (EPA) offices through the Resource Conservation and Recovery Act cleaning up after accidents or other activities that result in a release of hazardous materials to the water, air or land must also be reported through RCR

# **Data Finder (By Agency)**



Some of these links didn't work for me.

# data.gov



# **Data.Gov: Ecosystems**



**EcoINFORMA** 

Data Hubs

Data Catalog

Map Viewer

Related Topics

Contact Ecosystems



Discover and explore data resources on ecosystems and biodiversity, including ecosystem components, functions, and services.

**HIGHLIGHTS** 

**Biodiversity Resource Hub** 



Ecosystem Services Resource Hub



Land Cover Dynamics Resource Hub




# **USGS: Biodiversity**




### For more info, try:

http://neipm.cce.cornell.edu/neipm/assets/File/BMSB%20Resources/BMSB-IWG-Jun-2014/Bugs-and-BISON.pdf


# Global Biodiversity Info Facility (GBIF).org



# data.gov




# **Data.Gov: Energy**



managing energy in your own home.




# **Data.Gov: Energy – Data Catalog**



# Searching the Scholarly Literature

### Searching the Scholarly Literature: A Useful Way to Find Data



# Does Size Matter? Scaling of CO<sub>2</sub> Emissions and U.S. Urban Areas

Michail Fragkias<sup>1\*</sup>, José Lobo<sup>2</sup>, Deborah Strumsky<sup>3</sup>, Karen C. Seto<sup>4</sup>

1 Department of Economics, Boise State University, Boise, Idaho, United States of America, 2 School of Sustainability, Arizona State University, Tempe, Arizona, United States of America, 3 Department of Geography & Earth Sciences, University of North Carolina-Charlotte, Charlotte, North Carolina, United States of America, 4 Yale School of Forestry & Environmental Studies, Yale University, New Haven, Connecticut, United States of America

#### Abstract

Urban areas consume more than 66% of the world's energy and generate more than 70% of global greenhouse gas emissions. With the world's population expected to reach 10 billion by 2100, nearly 90% of whom will live in urban areas, a critical question for planetary sustainability is how the size of cities affects energy use and carbon dioxide (CO<sub>2</sub>) emissions. Are larger cities more energy and emissions efficient than smaller ones? Do larger cities exhibit gains from economies of scale with regard to emissions? Here we examine the relationship between city size and CO<sub>2</sub> emissions for U.S. metropolitan areas using a production accounting allocation of emissions. We find that for the time period of 1999–2008, CO<sub>2</sub> emissions scale proportionally with urban population size. Contrary to theoretical expectations, larger cities are not more emissions efficient than smaller ones.


Citation: Fragkias M, Lobo J, Strumsky D, Seto KC (2013) Does Size Matter? Scaling of CO<sub>2</sub> Emissions and U.S. Urban Areas. PLoS ONE 8(6): e64727. doi:10.1371/journal.pone.0064727

# **Searching the Scholarly Literature:**

An Example from "Does Size Matter? Scaling of CO<sub>2</sub> Emissions and U.S. Urban Areas.

#### Materials and Methods

Project Vulcan: Hosted on ASU's website, and funded by NASA and DOE



# Searching the Scholarly Literature: An Example from Google Scholar

emissions "department of energy" table ("new york" OR california OR florida ▼ Q About 17,600 results (0.25 sec) [BOOK] CRC handbook of chemistry and physics ſΗ WM Haynes - 2013 - books.google.com ... molecular formula is to use the Physical Constants of Organic Compounds table, which starts on ... 3-1, and its synonym index on Page 3-524.) In tables containing non ... of Chemistry, Shanghai University Shanghai 200444, China Serguei N. Lvov Department of Energy and Mineral ... Cited by 61775 Related articles All 33 versions Cite Save More Fermi observations of high-energy gamma-ray emission from GRB 080916C Let's try AA Abdo, M Ackermann, M Arimoto, K Asano... - Science, 2009 - sciencemag.org ... The blue points are obtained with the Band functions listed in Table 1 for the first five ... The this one pair-production opacity can be reduced if the emission region is moving toward us at ... The observed correlated variability of the GBM and LAT emissions indicates that photons formed co ... Cited by 484 Related articles All 34 versions Cite Save Meeting an 80% reduction in greenhouse gas emissions from transportation by 2050: A case [P study in California C Yang, D McCollum, R McCarthy, W Leighty - ... Research Part D: Transport ..., 2009 - Elsevier ... the transportation sector must play a major role if significant statewide emission reductions are ... from vehicle trips that take place entirely within California's borders; and Overall emissions, which include ... Table 1 gives a breakdown of transportation energy use and "well-to-wheels ... Cited by 106 Related articles All 13 versions Cite Save Indirect **emissions** from biofuels: how important? JM Melillo, JM Reilly, DW Kicklighter, AC Gurgel... - Science, 2009 - sciencemag.org ... Table 1 ... S. Paltsev et al., "The MIT emissions prediction and policy analysis (EPPA) model: version 4 ... This research was supported in part by the David and Lucile Packard Foundation to the MBL, Department of Energy, Office of Science (BER) grants DE-FG02-94ER61937, DE ... Cited by 389 Related articles All 15 versions Cite Save More [HTML] Improvements in life cycle energy efficiency and greenhouse gas emissions of cornſΗ ethanol AJ Liska, HS Yang, VR Bremer... - Journal of Industrial ..., 2009 - Wiley Online Library

... Table 2. Greenhouse gas (GHG) emissions inventory of the corn-ethanol life cycle (LC) for a natural gas day mill biorefinent in Lowa (BESS model, LA-NG). Component

# Bibliography From: "Meeting an 80% Reduction in Greenhouse Gas ..."

Ang, B.W., Zhang, F.O., 2000. A survey of index decomposition analysis in energy and environmental studies. Energy 25, 1149-1176.

California Air Resources Board, 2005. Emissions Estimation Methodology for Ocean-Going Vessels. California Air Resources Board, Sacramento.

California Air Resources Board, 2007a. California GREET Model. California Air Resources Board, Sacremento.

California Air Resources Board, 2007b. OFFROAD2007: Off-Road Emissions Inventory Program. California Air Resources Board, Sacramento, CA.

California Air Resources Board, 2008. California Greenhouse Gas Emission Inventory. California Air Resources Board, Sacremento.

California Department of Environmental Protection, 2006. Climate Action Team Report to Governor Schwarzenegger and the California Legislature. California Climate Action Team, Sacremento.

California Department of Finance, 2007. Population Projections by Race/Ethnicity, Gender and Age for California and Its Counties 2000–2050. California Department of Finance, Sacremento.

California Department of Finance, 2008. Top Countries Ranked by its Gross Domestic Product, California's World Ranking. California Department of Finance, Sacremento.

California Department of Transportation, 2006. MVSTAFF06: California Motor Vehicle Stock, Travel and Fuel Forecast. Transportation System Information. California Department of Transportation, Sacremento.

California Energy Commission, 2008. Energy Almanac. California Energy Commission, Sacremento.

Energy Information Administration, 2007. Annual Energy Outlook 2007 with Projections to 2030. US Department of Energy, Energy Information Administration, Washington DC.

Energy Information Administration, 2008a. Annual Energy Outlook 2008. Energy Information Administration, US Department of Energy, Washington DC. Energy Information Administration, 2009b. Estimated Consumption of Vehicle Fuels in The United States by Fuel Type (2003–2006). Energy Information Agency, US Department of Energy, Washington DC.

Ewing, R., Bartholomew, K., Winkelman, S., Walters, J., Chen, D., 2007. Growing Cooler: The Evidence on Urban Development and Climate Change Chicago. Urban Land Institute, Chicago, IL

Greene, D.L., Schafer, A., 2003. Reducing Greenhouse Gas Emissions from US Transportation. Pew Center on Global Climate Change.

Greene, D., Leiby, P., Bowman, D., 2007. Integrated Analysis of Market Transformation Scenarios with HyTrans. Oak Ridge National Laboratory.

International Energy Agency, 2004. Biofuels for Transport: An International Perspective. International Energy Agency, Paris.

tables DM 2000 A sadara facilis desalarment of blancas in California In Commission CP (Pd ) California Diametra Callaboration Desir

### ANNUAL ENERGY OUTLOOK 2015


Release Date: April 14, 2015 | Next Release Date: March 2016 | CORRECTION | full report



OVERVIEW

DATA 🔻

BY SECTION ▼



#### Annual Energy Outlook 2015

presents yearly projections and analysis of energy topics

Download the AEO2015 Report

Projections in the Annual Energy Outlook 2015 (AEO2015) focus on the factors expected to shape U.S. energy markets through 2040. The projections provide a basis for examination and discussion of energy market trends and serve as a starting point for analysis of potential changes in U.S. energy policies, rules, and regulations, as well as the potential role of advanced technologies.

#### Introduction

In preparing the Annual Energy Outlook 2015 (AEO2015)—a shorter edition; see "Changes in release cycle for EIA's Annual Energy Outlook"—the U.S. Energy Information Administration (EIA)

#### By Section

Preface

**Executive Summary** 

Economic growth

Prices

Delivered energy consumption by sector

Energy consumption by primary fuel

**Energy intensity** 

Energy production, imports, and exports

Electricity generation

Energy-related carbon dioxide emissions

**Appendices** 

#### Data tables

Reference Case Summary & Detailed Tables

- Total Energy Supply, Disposition, and Price Summary
- Energy Consumption by Sector and Source
- Energy Prices by Sector and Source











See most recent version of AEO

#### Annual Energy Outlook Products - Archive

Annual Energy Outlook		Supplement Tables		Assumptions		NEM System (NEMS): An Overview		NEMS Retrospective		Early Release	
HTML	PDF	HTML	PDF	HTML	PDF	HTML	PDF	HTML	PDF	HTML	PDF
2014	🔀 2014									2014	🔀 2014
2013	🔀 2013			2013	№ 2013			2013	🔀 2013	2013	🔀 2013
2012	🔀 2012			2012	፮ 2012			2012	፮ 2012	2012	🔀 2012
2011	🔀 2011			2011	፮ 2011			2011	🔀 2011	2011	🔀 2011
2010	🔀 2010	2010		2010	፮ 2010			2010	፟ 2010	2010	🔀 2010
2009	🔀 2009	2009		2009	፮ 2009			2009	፮ 2009	2009	🔀 2009
2008	🔀 2008	2008	2008	2008	፮ 2008		፟ 2009	2008	፟ 2008	2008	🔀 2008
2007	🔀 2007	2007		2007	፮ 2007						
2006	🔀 2006	2006	2006	2006	፮ 2006			2006	፮ 2006		
2005	🔀 2005	2005	2005		፮ 2005			2005	፟ 2005		
2004	🔀 2004	2004		2004	፮ 2004			2004	፮ 2004		
2003	🔀 2003	2003		2003	፮ 2003	2003	፟ 2003	2003	፟ 2003		
2002	🔀 2002	2002		2002	፮ 2002			2002	🔀 2002		
2001	🔀 2001	2001		2001	፮ 2001			2001			
2000	፟ 2000	2000		2000	፮ 2000	2000	፟ 2000	2000			
1999	🔀 1999	1999		1999	፮ 1999						
1998	🔀 1998	1998	1998		፮ 1998	1998	፮ 1998				
1997	🔀 1997	1997	1997		፮ 1997						
	🔀 1996	1996			🔀 1996		🔀 1996				
	🔀 1995										
	🔀 1994										
	₹ 1993										

# On Campus & Curriculum Ideas





The Princeton Review's

2014 Edition

# GUIDE TO 332 GREEN COLLEGES



Presented in partnership with the Center for Green Schools at the U.S. Green Building Council

# PORTLAND STATE UNIVERSITY

P.O. Box 751, PORTLAND, OR 97207-0751

Admissions: 503-725-3511 • Fax: 503-725-5525 • Financial Aid: 503-725-3461

E-MAIL: ADMISSIONS@PDX.EDU • WEBSITE: WWW.PDX.EDU





#### **GREEN HIGHLIGHTS**

Portland State University in Oregon offers every student the opportunity to gain handson experience addressing complex sustainability issues—both inside the classroom and out in the community. A 10-year, \$25 million gift from the James F. and Marion L. Miller Foundation in 2008 jumpstarted Portland State's excellence in sustainability research, teaching, and community engagement in programs across campus. PSU's College of Liberal Arts & Sciences faculty are leaders in social sustainability research; the Maseeh College of Engineering & Computer Science is home to globally recognized transportation researchers and a Green Building Research Lab and the College of Urban & Public Affairs continues to push the leading edge of sustainable urban development. As a national leader in community-based learning, PSU puts students to work solving neighborhood-scale sustainability problems, and its campus—home to eight LEED-certified buildings—is a living lab, testing everything from eco-roofs to district-scale energy systems. Freshmen may choose to live in a Sustainability Living Learning Community, while students visiting the LEED Gold Recreation Center can generate energy on exercise equipment and flush with rainwater. They can apply their learning in the real world with a Senior Capstone course, turn ideas into action with sustainability volunteer groups, and pursue a graduate certificate in sustainability. PSU's Institute for Sustainable Solutions serves as a hub for supporting student leadership training, cross-disciplinary research, and a curriculum that prepares students for change-making careers.

Green Facts				
% food budget spent on local/organic food 51				
Available transportation alternatives:				
bike share, indoor and secure bike storage, shower facili-				
ties, and lockers for bicycle commuters, school devel-				
oped bicycle plan, free or reduced price transit passes				
and/or free campus shuttle				
School has formal sustainability committee Yes				
% of new construction LEED-certified 100				
Waste-diversion rate (%)				
Sustainability-focused degree available Yes				
% of graduates required to take a sustainability				
related course 100				
Student Body				
Total undergrad enrollment 23,170				
# of applicants 5,573				
% of applicants accepted 80				
% of acceptees attending 32				
Average HS GPA 3-4				
Range SAT Critical Reading 450-590				
Range SAT Math 450-570				
Range SAT Writing 440–560				
Range ACT Composite 19–26				
Cost				
Annual in-state tuition \$6,156				
Annual out-of-state tuition \$21,375				
Required fees \$1,608				
Room and board \$10,368				
% needy ugrads receiving need-based				
scholarship or grant aid 78				
% ugrads receiving any aid 56				

FUNDING

AWARDS

DISCOVERIES NEWS

PUBLICATIONS STATISTICS

ABOUT NSF

FASTLANE

# Funding



#### Find Funding

A-Z Index of Funding Opportunities

Recent Funding Opportunities

Upcoming Due Dates

**Advanced Funding Search** 

Interdisciplinary Research

How to Prepare Your Proposal

About Funding

#### **Proposals and Awards**

Proposal and Award Policies and Procedures Guide

#### Introduction

Proposal Preparation and Submission

- Grant Proposal Guide
- Grants.gov Application Guide

**Award and Administration** 

. Award and Administration Guide

Award Conditions

O4b - - T... - - - f D... - - - I-

Email 🗪 Print 🔔 Share 🚣

#### Division of Chemical, Bioengineering, Environmental, and Transport Systems

#### **Environmental Sustainability**

#### CONTACTS

Name	Email	Phone	Room
Bruce Hamilton	bhamilto@nsf.gov	(703) 292-7066	565 S

#### PROGRAM GUIDELINES

Apply to PD 14-7643 as follows:

For full proposals submitted via FastLane: standard Grant Proposal Guide proposal preparation guidelines apply.

For full proposals submitted via Grants.gov: the NSF Grants.gov Application Guide; A Guide for the Preparation and Submission of NSF Applications via Grants.gov Guidelines applies. (Note: The NSF Grants.gov Application Guide is available on the Grants.gov website and on the NSF website at; http://www.nsf.gov/publications/pub\_summ.isp? ods kev=grantsgovguide)

#### Important Information for Proposers

A revised version of the NSF Proposal & Award Policies & Procedures Guide (PAPPG) (NSF 15-1), is effective for proposals submitted, or due, on or after December 26, 2014. The PAPPG is consistent with, and, implements the new Uniform Administrative Requirements, Cost Principles, and Audit Requirements for Federal Awards (Uniform Guidance) (2 CFR § 200). Please be advised that the guidelines contained in NSF 15-1 apply to proposals submitted in response to this funding opportunity.

#### DUE DATES

Full Proposal Window: October 1, 2015 - October 20, 2015 October 1 - October 20, Annually Thereafter

#### SYNOPSIS

# RESEARCH METHODS

Fall 2007 Registration # 91195

Class: Tuesdays and Thursdays: 11:00 am - 12:15 pm, Votey 220

<u>Instructors</u>: **Prof. Adrian J. <u>Ivakhiv</u>** Prof. Laurie <u>Kutner</u> Prof. <u>Saleem H. Ali</u>
Course Director Research Co-Instructor Director, Alt. Section

Office: Bittersweet Bailey/Howe Lib. 122 Bittersweet

<u>Telephone</u>: 656-0180 656-2213 656-0173

<u>E-mail</u>: <u>Adrian.Ivakhiv@uvm.edu</u> <u>Laurie.Kutner@uvm.edu</u> <u>Saleem.Ali@uvm.edu</u>

Office hours: Tu 2:30-5:00, Th 9:30-10:30 Wed 3:30-4:45

#### **Brief description**

Planning, design, and methods of research for the ENVS 202 senior thesis or project, required of all ENVS majors. Includes literature review and proposal writing. Three hours. (Not offered for graduate credit.)

#### Course Prerequisites

Students in this class are required to have taken ENVS 1, 2, and 151, and to have an approved ENVS Major Plan and a Research Essay from ENVS 151.

#### Course Goals

This course is designed to guide and assist you during the preparation and first stages of your senior thesis or project. To that end, you will be expected to

- **clarify** and refine the topic and questions you want to focus on in your thesis/project and the appropriate learning and research approaches by which to answer those questions;
- establish the context within which your topic is important;
- <u>contact</u> at least three on-campus <u>professionals</u> with expertise in the topic and/or research methods that you propose to use;
- write a literature review that establishes precedents for your research project;

· Identify and select information sources and retrieval systems in a variety of forms.

Implement a search strategy for identifying pertinent information
 Identification of environmental concerns related to a project.

Communicating information using graphic and written forms.

Organize ideas in a coherent structure.

COURSES INSTRUCTORS FAQ TESTIMONIALS DISCOUNTS BLOG STUDENT LOGIN

# The Sustainability Movement on Campus: Forming a Library Action Plan for Engagement

Instructors: Madeleine Charney and Jamie Conklin

Dates: May 4-29, 2015

Credits: 1.5 CEUs

Price: \$175

#### REGISTER

This course focuses on the role of the academic librarian in the sustainability movement which is sweeping across U.S. campuses. A proliferation of sustainability courses, programs and related activities bears witness to a paradigm shift in our society. A transdisciplinary area of study, sustainability stretches beyond environmental awareness to include issues of economic viability and social justice concerns. This comingling of subject areas offers limitless opportunities for collaboration and cross-pollination between librarians and the faculty, students, staff and administrators they support. Emphasis will be on the curriculum with a preliminary exploration of how facilities management and co-curricular activities tie into the teaching and learning of sustainability.

# Appendix I: A Few Global Resources



# http://www.wri.org/

What We Do Where We Work **Publications** Maps & Data Blog News Events Abo Water Sustainable Cities **BUSINESS ECONOMICS** Climate Energy Food Forests Russia's New Climate Plan May Actually Increase **Emissions** Under Russia's new post-2020 climate change commitment the country could actually increase its emissions 40-50

READ MORE

percent above current levels by 2030.

California Sleepwalks into Water Crisis Five Key Questions for the Asian Infrastructure Investment Bank Why We Need Solutions at Scale to Solve Today's Urban Challenges


# **WRI: 26 Data Visualization Tools**

M

News

**GOVERNANCE** 


Blog



Videos


# **Online Global Reefs Map**


LAUNCH THE INTERACTIVE MAP ->



Coral Reefs of the World Classified by Threat from Local Activities

Coral reefs are classified by estimated present threat from local human activities, according to the Reefs at Risk Revisited integrated local threat index. The index combines the threat from the following activities: overfishing and destructive fishing, coastal development, watershed-based pollution, and marine-based pollution and damage.





Note: "Present" represents the Reefs at Risk integrated local threat index, without past thermal stress considered. Estimated threats in 2030 and 2050 use the present local threat index as a base and also include projections of future thermal stress and ocean acidification. The 2030 and 2050 projections assume that current local threats remain constant in the future, and do not account for potential changes in human pressure, management, or policy, which could influence overall threat ratings.

Source: World Resources Institute, Revis of Risk Revisited, 2011.

Blue: Low Yellow: Medium Red: High Dark Red: Very High Black: Critical



FINANCE

GOVERNANCE

ANCE Enter a term



# Reefs at Risk Revisited

Under the Reefs at Risk Revisited project, WRI and its partners have developed a new, detailed assessment of the status of and threats to the world's coral reefs. This information is intended to raise awareness about the location and severity of threats to coral reefs. These results can also catalyze opportunities for changes in policy and practice that could safeguard coral reefs and the benefits they provide to people for future generations.

The data files include GIS data sets and KML files for use in Google Earth and other map applications that support KML.

#### II. DATA SET

#### DATE ADDED:

February 2011

#### PROJECT:

Reefs at Risk

#### PRIMARY CONTACT:

Lauretta Burke

#### **GIS Data Sets**

- Base Data: Data and GIS Base Data: Meta Data
- Global Threats: Data and GIS Global Data: Meta Data
- · Local Threats:Data and GIS Local Threats Data: Meta Data
- Local Threats (Vector Only):Data and GIS Local Threats (Vector Only) Data: Meta Data

#### **KML Data Sets**

Use these files in Google Earth and other map applications that support KML.

Local & Global Threats in 2050 (3.1 Mb)

Local & Global Threats in 2030 (3.1 Mb)


Local Threats: Present (3.1 Mb)

#### **Technical Documentation:**

Technical Notes (PDF, 338 Kb)

## China

# IPE: Institute of Public and Environmental Affairs



### China Map from IPE:

Institute of Public and Environmental Affairs, in Beijing





# Publishing Pollution Data in China: Ma Jun and the Institute of Public and Environmental Affairs

#### Sections

- Title Page
- Introduction
- Becoming an environmentalist
- Obstacles to enforcement
- "We must fight with data"
- China Pollution Maps launched
- Taking on supply chains
- Pollution Information Transparency Index
- Tainted milk, heavy metals—and more
- Poison Apple
- Green investment
- Blueprint for blue skies
- Real-time data begins
- Real-time dilemma
- Appendix 1
- Appendix 2
- Appendix 3
- Appendix 4
- Download this case as a PDF

HOME

### China Pollution Maps launched

In May 2006, Ma Jun founded the non-profit Institute of Public and Environmental Affairs in Beijing, with just two staffers. (The number would grow to eight by 2010, and double again by late 2013.) His mission was to do something with his research into water mismanagement that would motivate a public response. First, he had to build a database. IPE used public records, mainly from EPBs, as well as reports published in official media. None was a "state secret." Three kinds of information, dating back to 2004, went into the database:

Environmental quality indicators—levels of specific greenhouse gases and pollutants in the air and water, by city, province and river basin

Emissions data—aggregate levels of industrial and domestic discharge of specific pollutants, by city, province and river basin

Environmental supervision records—details of incidents in which companies had been fined or cited by environmental authorities

In September 2006, IPE released its first product, the so-called China Water Pollution Map. Fifteen months later, in December 2007, it launched a companion China Air Pollution Map. Though simple in concept and design, these became transformative tools in China's burgeoning environmental movement. Having the information in one place, in a

#### **Biographies**


- Ma Jun
- Gu Beibei
- Matthew Col

Topics Data and maps Indicators Publications

Four interactive maps available from the European Environment Agency

You are here: Home / Data and maps / Interactive maps / Nitrates in rivers

#### **Nitrates in rivers**




Topics Data and maps Indicators Publications

# **Nitrates in Rivers**

You are here: Home / Data and maps / Interactive maps / Nitrates in rivers

#### Nitrates in rivers



### **Datasets from EEA**



Q. Search Europe's environment... Search
Advanced search A-Z Glossary

Topics Data and maps Indicators Publications Media About EEA The EEA is an agency of the European Union

You are here: Home / Data and maps / Datasets

#### **Datasets**

Downloadable data about Europe's environment.

#### More filters **Topics** Search dataset **Current search** [X] Topics All (8) [X] All <span>(107)</span> Search river Water (8) all items n current results [X] Quick links [X] AII [X] Results per page 1 2 next 3 items » Featured [X] 5 datasets Waterbase - Emissions to water [X] Search dataset [X] river European Red Lists Emissions to water are an important element (describing the Monitoring of CO2 dataset pressure) in assessment of the state of Europe's environment Δ Hide filters [X] Remove all emissions from (SoE). This database contains data on emissions of nutrients passenger cars and hazardous substances to water, aggregated within River Basin Districts (RBDs), in Regulation 443/2009 Geographic coverage the EEA member countries. The reporting process, endorsed by the Water Directors, National emissions and this publication of the data, enables all stakeholders to use the data and reported to the UNFCCC contributes to streamlining with other reporting processes. EU25 and to the EU Greenhouse Gas EU27 Read more Monitoring Mechanism ■ EU28 Waterbase - UWWTD: EU12 Urban Waste Water **Transitional and Coastal reference layers** EU15 Treatment Directive -29 Oct 2013 EFTA4 reported data "Transitional waters" are bodies of surface water in the vicinity Natura 2000 data - the More dataset of river mouths which are partly saline in character as a result European network of of their proximity to coastal waters but which are substantially protected sites **Quick links** influenced by freshwater flows, while "Coastal water" means surface water on the

# Appendix II: Additional U.S. Resources

You are here: Web Soil Survey Home

# Search Enter Keywords All NRCS Sites

#### Browse by Subject

- ▶ Soils Home
- National Cooperative Soil Survey (NCSS)
- ▶ Archived Soil Surveys
- ▶ Status Maps
- Official Soil Series
   Descriptions (OSD)
- Soil Series Extent Mapping Tool
- ▶ Geospatial Data Gateway
- ▶ eFOTG
- National Soil Characterization Data
- ▶ Soil Quality
- ▶ Soil Geography

The simple yet powerful way to access and use soil data.



Home

#### Welcome to Web Soil Survey (WSS)



Web Soil Survey (WSS) provides soil data and information produced by the National Cooperative Soil Survey. It is operated by the USDA Natural Resources Conservation Service (NRCS) and provides access to the largest natural resource information system in the world. NRCS has soil maps and data available online for more than 95 percent of the nation's counties and

anticipates having 100 percent in the near future. The site is updated and maintained online as the single authoritative source of soil survey information.

Soil surveys can be used for general farm, local, and wider area planning. Onsite investigation is needed in some cases, such as soil quality assessments and certain conservation and engineering applications. For more detailed information, contact your local USDA Service Center or your NRCS State Soil Scientist.

#### Four Basic Steps



Define.

Use the Area of Interest tab to define your area of interest.

#### I Want To ...

About Soils

Start Web Soil Survey
 (WSS)

Help

Contact Us

- Know the requirements for running Web Soil Survey — will Web Soil Survey work in my web browser?
- Know the Web Soil Survey hours of operation
- Find what areas of the U.S. have soil data
- Find information by topic
- Know how to hyperlink from other documents to Web Soil Survey
- Know the SSURGO data structure

#### Announcements/Events

- Web Soil Survey 3.1 has been released! View description of new features and fixes.
- Web Soil Survey Release
  History
- Sign up for e-mail updates via GovDelivery

#### I Want Help With...

- Getting Started With Web Soil Survey
- How to use Web Soil Survey
- How to use Web Soil

ABOUT US LEGISLATORS & STAFF RESEARCH MEETINGS & TRAINING NCSL IN D.C. BOOI




We are the nation's most respected bipartisan organization providing states support, ideas, connections and a strong voice on Capitol Hill.

## Table 1: Enacted 2013 Efficient Building Legislation

The box allows you to conduct a full text search or use the dropdown menu option to select a state.

Reset   Select a State
------------------------

State	Bill or Resolution	Summary
Arkansas	AR S 340	Amends the Guaranteed Energy Cost Savings Act to allow state agencies to use maintenance and operations appropriations for debt service related to a guaranteed energy cost savings contract.
California	CA A 221	Revises the definition of recycled concrete in existing law to additionally include, as one of certain specifications, the California Green Building Standards Code.
	CA A 341	Requires the Building Standards Commission and agencies that propose green building standards to allow for input by other state agencies that have expertise in green building subject areas. Requires the process by which these state agencies shall submit suggested changes to be adopted as administrative regulations that include certain elements. Authorizes the expenditure of certain funds for updating of green building standards, a guideline update and training for local building officials.
	C A A 628	Authorizes the Humboldt Bay Harbor, Recreation and Conservation District and specified harbor and port districts, jointly with an electrical corporation, gas corporation, community choice aggregator or publicly owned electric or gas utility serving the district, to prepare one or more energy management plans to reduce air emissions and promote economic development through the addition of new business and the retention of existing businesses in the district. Also includes provisions on public education on the initiative.
Connecticut	CT H 6524	Allows for less frequent revisions to the State Building Code and requires building officials to ensure that inspections are done by the appropriate licensed inspectors.
Delaware	DE SCR 34	Establishes a "Green and Better Building Advisory Committee."
Georgia	GA HR 704	Encourages statewide participation in Green Apple Day of Service presented by the Center for Green Schools at the U.S. Green Building Council.



http://cfpub.epa.gov/surf/locate/index.cfm



#### Water Now

#### WaterNow@usgs.gov

How can I quickly get current water conditions that are important to me, such as water levels, streamflow, or temperatures? How do I find locations where these data are available?



#### WaterAlert

How can I be alerted to water conditions that exceed thresholds that are important to me, such as high water levels or temperatures? How do I find locations where these alerts may be available?



#### Real-time streamflow

Where is the USGS collecting and transmitting real-time streamflow data right now? How does flow today compare with historical streamflow? How can I see these sites on a map and get to the data? (Fact Sheet)



#### Real-time flood data

Where in the Nation are floods or very high flows occurring now? How can I see these sites on a map and get to the data?



#### Real-time drought data

Where in the Nation are droughts or very low flows occurring now? How can I see these sites on a map and get to the data?



#### Water Then

#### Annual water data reports

Can I see all of the locations where the USGS has published water resources data for a particular year? How can I see these sites on a map and get to the data?



You can retrieve data using a <u>map</u> or a search form.

#### Instantaneous streamflow data (prior to 2007)

I want to find long-term streamflow data reported in short time intervals (such as 15 minutes or 1 hour) rather than as daily averages. Where can I see a list of those sites and get to the data?



#### **National Water Quality Assessment**

The NAWQA program provides a search to physical, chemical, and sediment data that have been collected as part of the national program. (Fact Sheet)



#### BioData - Aquatic Bioassessment Data for the Nation

The USGS BioData Retrieval system provides public access to aquatic bioassessment data (biological community and physical habitat data) collected by USGS scientists from stream ecosystems across the nation.



#### Water use in the United States

Use of water in the United States is tracked

